
Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
<u>L1</u>	158950	(communication or network or bandwidth or (fiber near2 optic) or waveguide) with (monitor or monitoring or monitored or survey or surveillance or surveying or surveyed or analyse or analysing or analysed)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/30 19:49
L2	474	(communication or network or (fiber near2 optic) or waveguide) with (monitor or monitoring or monitored or survey or surveillance or surveying or surveyed or analyse or analysing or analysed) same (bandwidth with (different or other or another or plural or second))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/30 19:57
13	12	(communication or network or (fiber near2 optic) or waveguide) with (monitor or monitoring or monitored or survey or surveillance or surveying or surveyed or analyse or analysing or analysed) same (bandwidth with (different or other or another or plural or second) with (simultaneous or simultaneously or concurrent or concurrently))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/30 19:55
L4	33	(communication or network or (fiber near2 optic) or waveguide) with (monitor or monitoring or monitored or survey or surveillance or surveying or surveyed or analyse or analysing or analysed) same (bandwidth with (different or other or another or plural or second) same (simultaneous or simultaneously or concurrent or concurrently))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/30 19:54
L5	3	(communication or network or (fiber near2 optic) or waveguide) with (monitor or monitoring or monitored or survey or surveillance or surveying or surveyed or analyse or analysing or analysed) same (bandwidth with (different or other or another or plural or second)) same (graphical near4 (interface or display))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/30 19:53

L6	75	(communication or network or (fiber near2 optic) or waveguide) with (monitor or monitoring or monitored or survey or surveillance or surveying or surveyed or analyse or analysing or analysed) same (bandwidth with (different or other or another or plural or second)) and (graphical near4 (interface or display))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/30 19:53
L7	24	(communication or network or (fiber near2 optic) or waveguide) with (monitor or monitoring or monitored or survey or surveillance or surveying or surveyed or analyse or analysing or analysed) same (bandwidth with (different or other or another or plural or second) same (simultaneous or simultaneously or concurrent or concurrently)) and (interface or display)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/30 19:54
L8	13	(communication or network or (fiber near2 optic) or waveguide) with (monitor or monitoring or monitored or survey or surveillance or surveying or surveyed or analyse or analysing or analysed) same (bandwidth with (different or other or another or plural or second) same (simultaneous or simultaneously or concurrent or concurrently)) and (interface or display) with (graphic or graphical)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/30 19:55
<u>(9</u>	226	(communication or network or (fiber near2 optic) or waveguide) same (bandwidth with (different or other or another or plural or second) same (simultaneous or simultaneously or concurrent or concurrently)) and (interface or display) with (graphic or graphical)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/30 19:55
L10	582	(communication or network or (fiber near2 optic) or waveguide) same (bandwidth with (different or other or another or plural or second) with (simultaneous or simultaneously or concurrent or concurrently))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/30 19:55

L11	93	(communication or network or (fiber near2 optic) or waveguide) same (bandwidth with (different or other or another or plural or second) with (simultaneous or simultaneously or concurrent or concurrently)) and (graphical or graphic) with (interface or display)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/30 19:56
L12	7	11 and (signal with noise)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/30 19:56
L13	74	(communication or network or (fiber near2 optic) or waveguide) with (monitor or monitoring or monitored or survey or surveillance or surveying or surveyed or analyse or analysing or analysed) same (bandwidth with (different or other or another or plural or second)) and (signal with noise)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/30 19:57
L14	12	(communication or network or (fiber near2 optic) or waveguide) with (monitor or monitoring or monitored or survey or surveillance or surveying or surveyed or analyse or analysing or analysed) same (bandwidth with (different or other or another or plural or second)) and (signal with noise) and (graphic or graphical) with (interface or display)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/30 19:57

ELNEVER	CIENCE DIRECT Register or Login: user name Password: Go Athens/Institution Log
Home	Search Journals Books Abstract Databases My Profile Alerts THelp
Quick Sea	rch: within All Full-text Sources Go 🕜 Search Tips
	results <b>1 - 35</b>
35 Ar	ticles Found
(pub-datanalys\$	te > 1994 and pub-date < 2003 and FULL-TEXT("user interface" ) and FULL-TEXT(bandwidt
Edit Sea	rch   Save Search   Save as Search Alert analys\$ Search Withi
Article I	ist Partial Abstracts Full Abstracts
₽ (dis	splay checked docs e-mail articles export citations Sort By: Date Go
1.	Parallel simulation of compressible flow using automatic differentiation and PETSc • ARTICLE Parallel Computing, Volume 27, Issue 4, March 2001, Pages 503-519 Paul D. Hovland and Lois C. McInnes SummaryPlus   Full Text + Links   PDF (607 K)
2.	An object oriented approach to simulating large communication networks • ARTICLE Journal of Systems and Software, Volume 40, Issue 2, February 1998, Pages 151-164 Armin R. MiklerJohnny S. K. Wong and Vasant Honavar Abstract   Abstract + References   PDF (1647 K)
3. []	Putting requirement management into praxis: dealing with nonfunctional requirements • ARTICLE Information and Software Technology, Volume 40, Issue 3, 1998, Pages 175-185 Christof Ebert Abstract
4. 🗔	Artificial intelligence approaches to network management: recent advances and a survey • REVIEW ARTICLE  Computer Communications, Volume 20, Issue 15, 15 December 1997, Pages 1313-1322  G. Prem Kumar and P. Venkataram  Abstract   Abstract + References   PDF (1314 K)
5.	Dynamic management of non-isochronous multipriority traffic in DQDB metropolitan area networks • ARTICLE  Computer Communications, Volume 20, Issue 9, 8 September 1997, Pages 715-723  Andrea Borella and Paolo Micucci  Abstract   Abstract + References   PDF (934 K)
6.	SCF formulae for fatigue design of K-connections between square hollow sections • ARTICLE  Journal of Constructional Steel Research, Volume 43, Issues 1-3, July-September 1997,



Computers & Structures, Volume 61, Issue 4, November 1996, Pages 735-745

J. S. Lee, G. N. Pande, J. Middleton and B. Kralj

23.

**Abstract** 

Numerical modelling of brick masonry panels subject to lateral loadings • ARTICLE

ScienceDirect - Search Results: (pub-date > 1994 and pub-date < 2003 and FULL-TEXT(... Page 4 of 5

Pages 1-10

	S. M. AminA. García-OrtizJ. R. Wootton Abstract
33.	Controlling cooperative problem solving in industrial multi-agent systems using joint intentions • ARTICLE Artificial Intelligence, Volume 75, Issue 2, June 1995, Pages 195-240 N. R. Jennings Abstract
34.	Operational use of CASE integration: An investigation of the state of the practice • ARTICLE  Journal of Systems and Software, Volume 28, Issue 1, January 1995, Pages 59-68  Jock A. RaderAlan W. Brown and Ed J. Morris  Abstract   Abstract + References   PDF (1257 K)
35.	The implementation of a high-speed network for the DFN-community • ARTICLE Computer Networks and ISDN Systems, Volume 26, Supplement 4, 1995, Pages S179-S186  Peter Kaufmann

## 35 Articles Found

(pub-date > 1994 and pub-date < 2003 and FULL-TEXT("user interface" ) and FULL-TEXT (bandwidth )) and analys\$

Abstract | Abstract + References | PDF (558 K)

Edit Search | Save Search | Save as Search Alert

results 1 - 35

Home Abstract Databases | My Profile | Alerts Search Journals Books Help

Contact Us | Terms & Conditions | Privacy Policy

Copyright © 2005 Elsevier B.V. All rights reserved. ScienceDirect® is a registered trademark of Elsevier B.V.



Froogle Local New! Web Images Groups more »

"user interface" bandwidth noise (monitor OR : Search

Advanced Search **Preferences** 

Web Results 1 - 10 of about 203,000 for "user interface" bandwidth noise (monitor OR analyse). (0.27 seco

## [PDF] Chapter 46

File Format: PDF/Adobe Acrobat - View as HTML as noise free as possible. For the 06 DLD 105, the bandwidth is. 250 kHz. ... Current from the diode laser's internal monitor photodiode (if so ... www.mellesgriot.com/pdf/0046.8-46.11.pdf - Similar pages

## [PDF] Design and Implementation of a Digital Receiver Based Tune Monitor

File Format: PDF/Adobe Acrobat - View as HTML

bandwidth. Narrow bandwidth white noise excitation is, available if stored beam

is quite. ... Figure 3: Simple user interface of tune monitor ...

www.cern.ch/accelconf/e98/PAPERS/WEP43C.PDF - Similar pages

## Polycom VSX 5000

The VSX 5000 includes features and benefits such as a user interface in 13 ... Outstanding video - Premium quality video at any bandwidth with smooth ... www.ivci.com/videoconferencing-polycom-vsx-5000.html - 24k - Cached - Similar pages

#### Polycom VSX 7000s

Choose the amount of bandwidth to dedicate to Content and People; Options include 90% ... Polycom VSX 7000s User Interface. Calendar and Call Scheduler ... www.ivci.com/videoconferencing-polycom-vsx-7000s.html - 26k - Cached - Similar pages

#### MEMS Accelerometers-Inertial Sensors

The KXP74 series is designed to provide a high signal-to-noise ratio with ... Sensor bandwidth is user-definable. The KXPA4 is packaged in Kionix's ... www.kionix.com/Accelerometers/accelerometers.htm - 36k - Cached - Similar pages

## <u>Tektronix MBD: Products > Digital Real -Time(TM) Oscilloscopes TDS ...</u>

All of the TDS 300 scopes sample at five times their bandwidth, assuring users ... The modern graphical user interface dramatically reduces learning time, ... www.tek.com/Measurement/Products/catalog/tds300/ - 23k - Cached - Similar pages

Tektronix: Products > Communications Signal Analyzer - CSA8000B ... Wide Bandwidth (DC to 70+ GHz\*1 with up to 12.5 GHz Trigger) ... Displayed noise is typically 1.8 mVRMS. The front-panel connector is female 2.4 mm and an ... www.lek.com/site/ps/0,,85-13499-INTRO\_EN,00.html - 37k - Cached - Similar pages

#### [PDF] Digital Beam Position Monitor Development at NSRRC

File Format: PDF/Adobe Acrobat - View as HTML better than one micron in RMS with 1 kHz bandwidth and. achieve around 10 µm turn-by-turn ... band white noise, both horizontal and vertical betatron ... icalepcs2003.postech.ac.kr/Proceedings/PAPERS/WP582.PDF - Similar pages

#### [PDF] A Mobile Device as User Interface for Wearable Applications

File Format: PDF/Adobe Acrobat - View as HTML

higher bandwidth. Figure 1. A mobile phone as the user interface and ... noise the

Noise Shirt will run from 2 to 4 hours. 4.5 User Interface ...

www.medien.ifi.lmu.de/permid2005/ pdf/PekkalsoKetola\_Permid2005.pdf - Similar pages



Web Froogle Local New! Images Groups News more »

"user interface" bandwidth noise (monitor OR 🗧

Advanced Search <u>Preferences</u>

Web Results 11 - 20 of about 203,000 for "user interface" bandwidth noise (monitor OR analyse). (0.07 sec

## [PDF] DVSRemote Datasheet/010405

File Format: PDF/Adobe Acrobat - View as HTML

The DVStation-Remote offers several User Interface options. ... measurements for

low bandwidth connections to DVStation-Remote. ...

www.pixelmetrix.com/datasheets/DVSRemote.pdf - Similar pages

#### ASP User Guide

Once the ABPP IF is selected and the channel bandwidth selection is made, ...

ANUBIS: Graphical User Interface for controlling the ASP data collection ...

astron.berkeley.edu/~dbacker/asp\_R.html - 15k - Cached - Similar pages

#### VRVS H.323 Clients Recommendations

... max bandwidth 384kps; Full duplex digital audio with noise suppression and

... Dual monitor support; IP connection up to 1.2 Mbps; 30 fps video at 168 ...

www.vrvs.org/Documentation/ Recommendation/h323 clients.html - 13k - Cached - Similar pages

## Tools for modeling the user-traffic

Network Monitor provides real-time and post-capture modes of network data ...

Intuitive, consistent user interface for quick capture and display of data, ...

www.comlab.uni-rostock.de/research/tools.html - 36k - Cached - Similar pages

## [PDF] DIGITAL BEAM POSITION MONITOR DEVELOPMENT AT NSRRC

file Format: PDF/Adobe Acrobat - View as HTML

host receives control parameters from user interface. console by Ethernet. ...

increase bandwidth by optimize the parameters of digital, receiver, ...

icalepcs2003.postech.ac.kr/ db/proc\_papers/WP582/WP582.pdf - Similar pages

#### Hewlett-Packard Journal: A high-performance 1.8-GHz vector network ...

If the noise figure is very good, the input return loss may not be sufficient.

... Consistent User Interface. Since a network analyzer and a spectrum ...

www.findarticles.com/p/articles/ mi\_m0HPJ/is\_n5\_v44/ai\_14466980 - 30k - Cached - Similar pages

## [PDF] Stabilized Laser for Precision Interferometry A Very Highly ...

File Format: PDF/Adobe Acrobat - View as HTML

initial assumption was that the NPRO was shot-noise limited at 25 MHz. new lower

bandwidth pre-modecleaner under construction ...

www.ligo.caltech.edu/docs/G/G010382-00.pdf - Similar pages

#### [PDF] The Most Powerful Non-Invasive Monitor in its Class

File Format: PDF/Adobe Acrobat - View as HTML

User Interface that Enhances Simplicity of ... Basic Impedance Measurement

Bandwidth: 0-10 Hz ... Monitor Performance. Display. TFT color-active matrix ...

www.analogic.com/pdf/lifegard\_ii\_icg.pdf - Similar pages

## Channel D Mac the Scope 2.1: SOFTWARE-BASED TEST INSTRUMENTS

Mac the Scope can capture real-time bandwidth, sampling up to 44.1 kHz. ...

However, the manual indicated this was due to my monitor being set to millions ...

mixonline.com/mag/audio\_channel\_mac\_scope/ - 47k - Cached - Similar pages

# Interference P6-Pub Search

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L20	41	((signal with noise) and bandwidth and ((graphical or graphic) with (interface or display))).clm.	US-PGPUB	OR	ON	2005/10/30 20:04
L21	40	((signal with noise) and bandwidth and ((graphical or graphic) with (interface or display))and (performance or ability or capability or monitor or monitored or monitoring or analys\$)).clm.	US-PGPUB	OR	ON	2005/10/30 20:05
L22	35	((signal with noise) and bandwidth and ((graphical or graphic) with (interface or display)) and ((performance or ability or capability or operation or output) with (monitor or monitored or monitoring or analys\$))).clm.	US-PGPUB	OR	ON	2005/10/30 20:05
L23	35	((signal with noise) and bandwidth and ((graphical or graphic) with interface) and ((performance or ability or capability or operation or output) with (monitor or monitored or monitoring or analys\$))).clm.	US-PGPUB	OR	ON	2005/10/30 20:06
L24	1	((signal with noise) and (bandwidth same (simultaneous or simultaneously or concurrent or concurrently or ("same" near4 time))) and ((graphical or graphic) with interface) and ((performance or ability or capability or operation or output) with (monitor or monitored or monitoring or analys\$))).clm.	US-PGPUB	OR	ON	2005/10/30 20:08